



Velo Wash



Technically and aesthetically the most advanced stainless steel mountainbike wash on the market.


www.rowafil.com



mountainbike
wasmachine
enkel met medium druk
schoon in 10 seconden

www.rowafil.com





Velo Wash

The Velo Wash SW10.2 is an automated wash tunnel, especially for mountain bikes. Under medium pressure the bikes gets cleaned so they are free of mud. The Velo Wash uses no chemicals and no brushes, the bike will be optically clean.

The bike is placed backwards on the transit gutter and when you press the start button the fork will take the saddle automatically through the Velo wash. Inside there are placed spray tubes with 2 x 4 nozzles at different angles, giving a maximum cleaning effect on the bike. The water pressure is around 50 bar.

The wash stops automatically when the bike gets out at the other side, the bike is now standing ready in the wheel-collector to be removed from the gutter. The cleaning process takes about 10 seconds.


After the bike is taken of the wash system, the saddle-fork will go back in 2 seconds to the starting position and a new dirty bike can be put on.

Specifications


Brand:	Rowafil Velowash
Type:	Velowash SW10.2
Capacity:	200 bikes/ hour
Construction:	All stainless steel
Power consumption:	3 kW, 1x230V
Total weight:	560 kg (incl trailer)
Dimension:	(closed, incl trailer) 4000 x 1500 x 2200H mm

Scope of delivery

304 stainless steel construction with blue PVC panels. Lockable cabinet on top in stainless steel. Front and back of the Velo wash can be closed during transport. Medium pump working at 50 bar. Power consumption <3 kW. Control cabinet with PLC and wash counter. Complete with 20 meter 230V power line, 20 meters water hose and 5 meters of drain piping. Trailer manufactured by Henra. Independent suspension and braked axle for 750 kg. Frame size 208 x 100 cm. Entire frame galvanized. Meets the traffic regulations.



Rowafil manufacturing

 ambachtstraat 46, 5804 cd | p.o. box 5109, 5800 gc | venray, netherlands
tel: +31(0)478-649082 | fax: +31 (0)478-642105 | info@rowafil.com | www.rowafil.com